



Parenteral Conscious Sedation Checklist of Sedation Equipment and Emergency Drugs

Emergency equipment and drugs must be available at all times. Drugs must be current and stored in readily identifiable and organized fashion (i.e. labelled trays or bags). All automated monitors must receive regular service and maintenance by qualified personnel according to the manufacturer's specifications, or annually, whichever is more frequent. **A written record of this annual maintenance/servicing must be kept on file for review by the College as required.**

It is the Facility Permit holder's responsibility to ensure that all required emergency and other equipment is available and emergency drugs are on-site and current whenever parenteral conscious sedation is being administered.

SEDATION EQUIPMENT

- Reserve source of oxygen
(as a minimum, an E-size tank is required)
- Portable apparatus for intermittent positive pressure resuscitation
- Pulse oximeter
- Sphygmomanometers and stethoscopes of appropriate sizes
- Tonsil suction (Yankauer) adaptable to the suction outlet
- Full face masks of appropriate sizes and connectors
- Adequate selection of endotracheal tubes and appropriate connectors
- Laryngoscope with an adequate selection of blades, spare batteries and bulbs
- Magill forceps
- Adequate selection of oral airways
- Portable auxiliary systems for light, suction, and oxygen
- Apparatus for emergency tracheotomy or cricothyroid membrane puncture
- Needles - IV

EMERGENCY DRUGS

- Oxygen
- Epinephrine
- Nitroglycerin
- Parenteral antihistamine (e.g. diphenhydramine)
- Bronchodilator (salbutamol)
- Parenteral vasopressor (e.g. ephedrine)
- Parenteral atropine
- Parenteral corticosteroid
- Intravenous lidocaine
- Flumazenil (if a benzodiazepine is administered)
- Naloxone (if an opioid is administered)
- Intravenous fluids
- Acetylsalicylic acid (ASA)